Knowledgebase > Technical > Email > 垃圾郵件設定

垃圾郵件設定 scicube 614 - 2023-03-14 - Email

垃圾郵件設定

由於近年垃圾及假冒郵件問題日益嚴重[]Scicube 已強制所有戶口預設必須啟用電郵過濾,電郵由主機到送達用戶戶口,中間會經過三層過濾。

1) RBL (Realtime Blackhole List)

系統會連接幾個具認受性的黑名單,並確認來信的伺服器沒有在黑名單內。如果在黑名單內電 郵會立即退回。

2) 防毒過濾

如電郵偵測到存在病毒, 電郵會立即退回。

3) 電郵評分機制 (Spamassassin)

系統會為電郵作出評分,分數越高代表郵件是垃圾郵件機會越大。

現時預設設定是

- 超過 7.5 分系統便會界定為垃圾郵件。
- 垃圾郵件會保留並如常送達到收件箱,但電郵標題開端會加上"*****SPAM*****"以作識別。

在 Directadmin 的 "Spamassassin Setup" 内,可以調整有關設定。

Where do you want the spam to go?

Inbox (don't block it) 垃圾郵件如常進入收件箱(預設設定)

Redirect it to the catch-all spam folder in your main imap account. 所有垃圾郵件會轉送到預設電郵戶口

Send the spam to the appropriate users's spam folder. 垃圾郵件會轉送到用戶在Webmail內的Spam資料夾

Delete the spam. 直接刪除

| Where do you want the spam to go? | |
|-----------------------------------|---|
| • | Inbox (don't block it) |
| 0 | Redirect it to the catch-all spam folder in your main imap account. |
| | Send the spam to the appropriate users's spam folder. |
| \circ | Delete the spam. |

What score threshold do you wish to use?

界定垃圾郵件的分數,設定分數越高[]Spam Filter敏感度越低。

如果預設分數(7.5)導致太多有用電郵都誤認為Spam Mail \square 可以調整至 10分。

如有需要亦可設定, 超過特定分數便直接刪除電郵。

| What score threshold do you wish to use? | |
|---|--|
| A lower threshold will block more spam, but can potentially tag legitimate mail. A higher threshold will let more spam through, but is less likely to tag legitimate mail. | |
| O Low Threshold (5.0) | |
| Medium Threshold (7.5) | |
| High Threshold (10.0) | |
| Custom Threshold: 7.5 | |
| | |
| Would you like to delete high scoring spam? | |
| Yes, block all spam scoring higher than: 15 (1-99, no decimals) | |
| No, do not block high scoring spam. Use only the threshold in the previous section. | |
| | |
| Do you wish to rewrite the subject of a spam email? | |
| Yes, set the subject to the following: *****SPAM***** | |
| No, leave the subject unchanged. | |
| | |

如果電郵持續誤認為 Spam[]可以將寄件者電郵地址加入 whitelist[]

