

Knowledgebase > Technical > Email > 垃圾郵件設定

垃圾郵件設定

scicube 614 - 2023-03-14 - Email

垃圾郵件設定

由於近年垃圾及假冒郵件問題日益嚴重[Scicube 己強制所有戶口預設必須啟用電郵過濾,

電郵由主機到送達用戶戶口,中間會經過三層過濾。

1) RBL (Realtime Blackhole List)

系統會連接幾個具認受性的黑名單,並確認來信的伺服器沒有在黑名單內。如果在黑名單內電郵會立即退回。

2) 防毒過濾

如電郵偵測到存在病毒, 電郵會立即退回。

3) 電郵評分機制 (Spamassassin)

系統會為電郵作出評分,分數越高代表郵件是垃圾郵件機會越大。

現時預設設定是

- 超過 7.5 分系統便會界定為垃圾郵件。
- 垃圾郵件會保留並如常送達到收件箱,但電郵標題開端會加上"*****SPAM*****"以作識別。

在 Directadmin 的 "Spamassassin Setup" 內,可以調整有關設定。

Where do you want the spam to go?

Inbox (don't block it) 垃圾郵件如常進入收件箱(預設設定)

Redirect it to the catch-all spam folder in your main imap account. 所有垃圾郵件會轉送到預設電郵戶口

Send the spam to the appropriate users's spam folder. 垃圾郵件會轉送到用戶在Webmail內的Spam資料夾

Delete the spam. 直接刪除


Where do you want the spam to go?						
•	Inbox (don't block it)					
\bigcirc	Redirect it to the catch-all spam folder in your main imap account.					
\bigcirc	Send the spam to the appropriate users's spam folder.					
0	Delete the spam.					

What score threshold do you wish to use?

界定垃圾郵件的分數,設定分數越高[Spam Filter敏感度越低。

如果預設分數 (7.5) 導致太多有用電郵都誤認為Spam Mail□可以調整至 10分。

如有需要亦可設定,超過特定分數便直接刪除電郵。



如果電郵持續誤認為 Spam[]可以將寄件者電郵地址加入 whitelist[]

