



[Knowledgebase](#) > [Technical](#) > [Email](#) > [\[Roundcube\] 設定索取回條](#)

[Roundcube] 設定索取回條

scicube 614 - 2026-05-11 - [Email](#)

[Roundcube] 設定索取回條

設定索取回條

The screenshot shows the Roundcube webmail interface. The top navigation bar includes '設定' (Settings), '資料夾' (Folders), '身份資訊' (Identity), and '使用者密碼' (User Password). The '個人設定' (Personal Settings) tab is selected, and the '撰寫郵件設定' (Compose Mail Settings) sub-tab is active. The left sidebar contains a '分類' (Categories) menu with '撰寫郵件設定' highlighted. The main content area is titled '撰寫郵件設定' and contains two sections: '主要選項' (Main Options) and '簽名檔選項' (Signature Options). In the '主要選項' section, the '永遠索取讀取回條' (Always request read receipts) checkbox is checked and highlighted with a blue box, with a '3.' next to it. Other settings include '使用 HTML 撰寫郵件' (Use HTML for composing mail) set to '絕對不要' (Absolutely not), '自動儲存草稿' (Auto-save drafts) set to '每 5 分鐘' (Every 5 minutes), and '附加檔案名稱的編碼方式' (Encoding of attachment names) set to 'RFC 2047/2231 混合模式 (MS Outlook)'. The '簽名檔選項' section shows '自動附加簽名' (Auto-attach signature) set to '總是接受' (Always accept), '當回覆或轉寄時附上簽名檔' (Attach signature when replying or forwarding) set to '引用的下方' (Below the quote), and '回覆時移除原有簽名檔' (Remove original signature when replying) checked. A '儲存' (Save) button is located at the bottom of the settings area.