



[Roundcube] 設定索取回條

scicube 614 - 2023-09-26 - Email

[Roundcube] 設定索取回條

設定索取回條

The screenshot shows the Roundcube webmail interface. At the top right, there are navigation icons for '電子郵件', '通訊錄', '個人設定', and '登出'. The '個人設定' (Personal Settings) icon is highlighted with a blue box and labeled '1.'. Below this, there are tabs for '設定', '資料夾', '身份資訊', and '使用者密碼'. The '設定' (Settings) tab is active. On the left sidebar, there is a '分類' (Categories) menu with options like '使用介面設定', '信箱顯示設定' (labeled '2.'), '撰寫郵件設定' (highlighted with a red box), '郵件顯示設定', '通訊錄', '預設資料夾設定', and '伺服器設定'. The main content area is titled '撰寫郵件設定' (Compose Mail Settings). Under the '主要選項' (Main Options) section, the '永遠索取讀取回條' (Always request replies) checkbox is checked and highlighted with a blue box, labeled '3.'. Other settings include '使用 HTML 撰寫郵件' (Set to '絕對不要'), '自動儲存草稿' (Set to '每 5 分鐘'), '附加檔案名稱的編碼方式' (Set to 'RFC 2047/2231 混合模式 (MS Outlook)'), '使用 MIME 編碼對於 8 位元字元' (unchecked), '總是要求傳送狀態通知' (unchecked), '將回覆與回覆信件放置於相同資料夾' (unchecked), '回覆時' (Set to '在原來的下方開始新訊息'), and 'Check spelling before sending a message' (unchecked). Under the '簽名檔選項' (Signature Options) section, '自動附加簽名' is set to '總是接受', '當回覆或轉寄時附上簽名檔' is set to '引用的下方', and '回覆時移除原有簽名檔' is checked. A '儲存' (Save) button is at the bottom.